

SYNAPT HDMS Articles and Peer-Reviewed Journal Publication Articles (2004 – Present)

The following publications have been generated by Waters customers and Waters scientists and collaborators. Each Waters® SYNAPT® High Definition Mass Spectrometry™ (HDMS™) System reference listed below, where available, has its own unique DOI (Digital Object Identifier) tag. The DOI System is used to uniquely identify digital publications by providing current information about where they can be found on the Internet. Click on each link, or go to <http://dx.doi.org/> and type in the DOI tag below to get more information about these publications.

2010

Bishara A, Rudi A, Akinin M, Neumann D, Ben-Califa N, Kashman Y.
Salarins D-J, seven new nitrogenous macrolides from the madagascar sponge *Fascaplysinopsis* sp. *Tetrahedron* 2010 66(24):4339-4345.
DOI: [10.1016/j.tet.2010.04.035](https://doi.org/10.1016/j.tet.2010.04.035)

Bridoux MC, Ingalls AE.
Structural identification of long-chain polyamines associated with diatom biosilica in a Southern Ocean sediment core. *Geochimica et Cosmochimica Acta*. 2010 In Press.
DOI: [10.1016/j.gca.2010.04.010](https://doi.org/10.1016/j.gca.2010.04.010)

Canellas E, Nerin C, Moore R, Silcock P.
New UPLC coupled to mass spectrometry approaches for screening of non-volatile compounds as potential migrants from adhesives used in food packaging materials. *Analytica Chimica Acta* 2010 666(1-2):62-69.
DOI: [10.1016/j.aca.2010.03.032](https://doi.org/10.1016/j.aca.2010.03.032)

D'Agostino PA, Chenier CL.
Desorption electrospray ionization mass spectrometric analysis of organophosphorus chemical warfare agents using ion mobility and tandem mass spectrometry. *Rapid Communications in Mass Spectrometry* 2010 24(11):1617-1624.
DOI: [10.1002/rcm.4547](https://doi.org/10.1002/rcm.4547)

Fang J, Rand KD, Silva MC, Wales TE, Engen JR, Beuning PJ.
Conformational Dynamics of the *Escherichia coli* DNA Polymerase Manager Proteins UmuD and UmuD'. *Journal of Molecular Biology* 2010 398(1):40-53
DOI: [10.1016/j.jmb.2010.02.040](https://doi.org/10.1016/j.jmb.2010.02.040)

Faull PA, Florance HV, Schmidt CQ, Tomczyk N, Barlow PN, Hupp TR, Nikolova PV, Barran PE.
Utilising ion mobility-mass spectrometry to interrogate macromolecules: Factor H complement control protein modules 10–15 and 19–20 and the DNA-binding core domain of tumour suppressor p53 *International Journal of Mass Spectrometry* 2010 In Press.
DOI: [10.1016/j.ijms.2010.01.007](https://doi.org/10.1016/j.ijms.2010.01.007)

Grintsevich EE, Galkin VE, Orlova A, Ytterberg AJ, Mikati MM, Kudryashov DS, Loo JA, Egelman EH, Reisler E.
Mapping of Drebrin Binding Site on F-Actin. *Journal of Molecular Biology* 2010 398(4):542-554
DOI: [10.1016/j.jmb.2010.03.039](https://doi.org/10.1016/j.jmb.2010.03.039)

Hilton GR, Thalassinos K, Grabenauer M, Sanghera N, Slade SE, Wyttenbach T, Robinson PJ, Pinheiro TJT, Bowers MT, Scrivens JH.
Structural Analysis of Prion Proteins by Means of Drift Cell and Traveling Wave Ion Mobility Mass Spectrometry. *JASMS* 2010 21(5):845-854
DOI: [10.1016/j.jasms.2010.01.017](https://doi.org/10.1016/j.jasms.2010.01.017)

Inutan E, Trimpin S.
Laserspray Ionization (LSI) Ion Mobility Spectrometry (IMS) Mass Spectrometry. *JASMS* 2010 In Press.
DOI: [10.1016/j.jasms.2010.03.039](https://doi.org/10.1016/j.jasms.2010.03.039)

Kley J, Heil M, Muck A, Svatos A, Boland W.
Isolating intact chloroplasts from small *Arabidopsis* samples for proteomic studies. *Analytical Biochemistry* 2010 398(2):198-202
DOI: [10.1016/j.ab.2009.11.016](https://doi.org/10.1016/j.ab.2009.11.016)

Lai C-S, Mas, RHHM, Nair NK, Mansor SM, Navaratnam V.
Chemical constituents and in vitro anticancer activity of *Typhonium flagelliforme* (Araceae).
Journal of Ethnopharmacology 2010 127(2):486-494.
DOI: [10.1016/j.jep.2009.10.009](https://doi.org/10.1016/j.jep.2009.10.009)

Liu Z, Yoo G, Cheon SH.
An enantioselective total synthesis of (S)-(-)-licochalcone E: determination of the absolute configuration.
Tetrahedron 2010 66(17):3165-3172
DOI: [10.1016/j.tet.2010.02.089](https://doi.org/10.1016/j.tet.2010.02.089)

Lomeli SH, Peng IX, Yin S, Ogorzalek LRL, Loo JA.
New Reagents for Increasing ESI Multiple Charging of Proteins and Protein Complexes.
JASMS 2010 21(1):127-131
DOI: [10.1016/j.jasms.2009.09.014](https://doi.org/10.1016/j.jasms.2009.09.014)

Lu X, Gough PC, DeFelippis M, Huang L.
Elucidation of PEGylation Site with a Combined Approach of In-Source Fragmentation and CID MS/MS.
JASMS 2010 21(5):810-818
DOI: [10.1016/j.jasms.2010.01.011](https://doi.org/10.1016/j.jasms.2010.01.011)

Gasperotti M, Masuero D, Vrhovsek U, Guella G, Mattivi F.
Profiling and Accurate Quantification of *Rubus* Ellagitannins and Ellagic Acid Conjugates Using Direct UPLC-Q-TOF HDMS and HPLC-DAD Analysis.
J Agric Food Chem 2010 58(8):4602-4616
DOI: [10.1021/jf904543w](https://doi.org/10.1021/jf904543w)

Moreira KG, Prates MV, Andrade FAC, Silva LP, Beirão PSL, Kushmerick C, Naves LA, Bloch Jr. C.
Frontoxins, three-finger toxins from *Micrurus frontalis* venom, decrease miniature endplate potential amplitude at frog neuromuscular junction.
Toxicon 2010 56(1):55-63
DOI: [10.1016/j.toxicon.2010.02.030](https://doi.org/10.1016/j.toxicon.2010.02.030)

Nusshold C, Kollroser M, Köfeler H, Rechberger G, Reicher H, Üllen A, Bernhart E, Waltl S, Kratzer I, Hermetter A, Hackl H, Trajanoski Z, Hrzenjak A, Malle E, Sattler W.
Hypochlorite modification of sphingomyelin generates chlorinated lipid species that induce apoptosis and proteome alterations in dopaminergic PC12 neurons in vitro.
Free Radical Biology and Medicine 2010 48(12):1588-1600.
DOI: [10.1016/j.freeradbiomed.2010.02.037](https://doi.org/10.1016/j.freeradbiomed.2010.02.037)

Ren X, Sun B, Tsai CC, Tu Y, Leng S, Li K, Van Horn RM, Li X, Zhu M, Wesdemiotis C, Zhang WB, Cheng SZD.
Synthesis, Self-assembly, and Crystal Structure of a Shape-Persistent Polyhedral-Oligosilsesquioxane-Nanoparticle-Tethered Perylene Diimide.
Journal of Physical Chemistry B 2010 114(4):4802-4810
DOI: [10.1021/jp100126u](https://doi.org/10.1021/jp100126u)

Gachet MS, Kunert O, Kaiser M, Brun R, Munoz RA, Bauer R, Schuly W.
Jacaranone-Derived Glucosidic Esters from *Jacaranda glabra* and Their Activity against *Plasmodium falciparum*.
J Natural Products 2010 74(4):553-556
DOI: [10.1021/np900528m](https://doi.org/10.1021/np900528m)

Stauber J, MacAleese L, Franck J, Claude E, Snel M, Kaletas BK, Wiel IMVD, Wisztorski M, Fournier I, Heeren RMA.
On-Tissue Protein Identification and Imaging by MALDI-Ion Mobility Mass Spectrometry.
JASMS 2010 21(3):338-347
DOI: [10.1016/j.jasms.2009.09.016](https://doi.org/10.1016/j.jasms.2009.09.016)

Wang P, Sun H, Lv H, Sun W, Yuan Y, Han Y, Wang D, Zhang A, Wang X.
Thyroxine and reserpine-induced changes in metabolic profiles of rat urine and the therapeutic effect of Liu Wei Di Huang Wan detected by UPLC-HDMS.
Journal of Pharmaceutical and Biomedical Analysis 2010 In Press
DOI: [10.1016/j.jpba.2010.04.032](https://doi.org/10.1016/j.jpba.2010.04.032)

Wellington KW, Steenkamp P, Brady D.
Diamination by N-coupling using a commercial laccase.
Bioorganic & Medicinal Chemistry 2010 18(4):1406-1414
DOI: [10.1016/j.bmc.2010.01.025](https://doi.org/10.1016/j.bmc.2010.01.025)

Williams JP, Phillips HA, Campuzano I, Sadler PJ.
Shape Changes Induced by N-Terminal Platination of Ubiquitin by Cisplatin.
JASMS 2010 In Press
DOI: [10.1016/j.jasms.2010.02.012](https://doi.org/10.1016/j.jasms.2010.02.012)

Yan G, Sun H, Sun W, Zhao L, Meng X, Wang X.
Rapid and global detection and characterization of
aconitum alkaloids in Yin Chen Si Ni Tang, a
traditional Chinese medical formula, by ultra
performance liquid chromatography-high resolution
mass spectrometry and automated data analysis.
Journal of Pharmaceutical and Biomedical Analysis
2010 In Press

DOI: [10.1016/j.jpba.2010.05.004](https://doi.org/10.1016/j.jpba.2010.05.004)

2009

Alonso JM, Blayney, MJ, Beck, JL, Whitney, SM
Substrate-induced Assembly of Methanococoides
burtoniid-Ribulose-1,5-bisphosphate
Carboxylase/Oxygenase Dimers into Decamers.
J Biol Chem. 2009 284: 33876-82

DOI: [10.1074/jbc.M109.050989](https://doi.org/10.1074/jbc.M109.050989)

Atmanene C, Wagner-Rousset E, Malissard M, Cho,
B, Rober, A, Corvaja N, Van Dorsselaer A, Beck, A,
Sangler-Cianferani S

Extending Mass Spectrometry Contribution to
Therapeutic Monoclonal Antibody Lead
Optimization: Characterization of Immune
Complexes Using Noncovalent ESI-MS

Anal Chem. 2009. 81(15): 6364-73

DOI: [10.1021/ac9007557](https://doi.org/10.1021/ac9007557)

Ayesa S, Agback T, Benkestock K, Classon B,
Henderson I, Hewitt E, Jansson K, Kallin A,
Sheppard D, Samuelsson B.

Solid-phase parallel synthesis and SAR of 4-
amidofuran-3-one inhibitors of cathepsin S: Effect
of sulfonamides P3 substituents on potency and
selectivity

Bioorganic & Medicinal Chem. 2009 17(3):1307-24

DOI: [10.1016/j.bmc.2008.12.020](https://doi.org/10.1016/j.bmc.2008.12.020)

Benassi M, Corilo YE, Uria D, Augusti R, Eberlin
MN.

Recognition and Resolution of Isomeric Alkyl
Anilines by Mass Spectrometry

JASMS. 2009 20(2):269-77

DOI: [10.1016/j.jasms.2008.10.004](https://doi.org/10.1016/j.jasms.2008.10.004)

Benesch JLP

Collisional Activation of Protein Complexes: Picking
Up the Pieces

JASMS 2009. 20(3):341-8

DOI: [10.1016/j.jasms.2008.11.014](https://doi.org/10.1016/j.jasms.2008.11.014)

Chen P, Fenet B, Michaud S, Tomczyk N,
Véricel E, Lagarde M, Guichardant M.
Full characterization of PDX, a
neuroprotectin/protectin D1 isomer, which
inhibits blood platelet aggregation.

FEBS Letters 2009. 583(21): 3478-84.

DOI: [10.1016/j.febslet.2009.10.004](https://doi.org/10.1016/j.febslet.2009.10.004)

Chong WPK et al.

Metabolomics profiling of extracellular
metabolites in recombinant Chinese Hamster
Ovary fed-batch culture.

RCMS 2009 23(23):3763.

DOI: [10.1002/rcm.4328](https://doi.org/10.1002/rcm.4328)

Damen CWN, Chen W, Chakraborty AB, van
Oosterhout M, Mazzeo JR, Gebler JC, Schellens
JHM, Rosing H, Beijnen JH.

Electrospray Ionization Quadrupole Ion-
Mobility Time-of-Flight Mass Spectrometry as a
Tool to Distinguish the Lot-to-Lot
Heterogeneity in N-Glycosylation Profile of the
Therapeutic Monoclonal Antibody Trastuzumab.
JASMS 2009 20(11):2021-22

DOI: [10.1016/j.jasms.2009.07.017](https://doi.org/10.1016/j.jasms.2009.07.017)

Faull PA, Korkeila KE, Kalapothakis JM, Gray A,
McCullough BJ, Barran PE.

Gas-phase metalloprotein complexes
interrogated by ion mobility-mass
spectrometry

International Journal of Mass Spectrometry
2009 283(1-3):140-8.

DOI: [10.1016/j.ijms.2009.02.024](https://doi.org/10.1016/j.ijms.2009.02.024)

Freeke J, Robinson CV, Ruotolo BT.

Residual counter ions can stabilise a large
protein complex in the gas phase
International Journal of Mass Spectrometry
2009 in press

DOI: [10.1016/j.ijms.2009.08.001](https://doi.org/10.1016/j.ijms.2009.08.001)

Giles K, Wildgoose JL, Langridge DJ,
Campuzano I.

A method for direct measurement of ion
mobilities using a travelling wave ion guide
International Journal of Mass Spectrometry
2009 in press.

DOI: [10.1016/j.ijms.2009.10.008](https://doi.org/10.1016/j.ijms.2009.10.008)

Grove JI, Wood SR, Briggs GS, Oldham NJ,
Lloyd RG.

A soluble RecN homologue provides means for
biochemical and genetic analysis of DNA
double-strand break repair in Escherichia coli
DNA Repair 2009 8(12):1434-43

DOI: [10.1016/j.dnarep.2009.09.015](https://doi.org/10.1016/j.dnarep.2009.09.015)

Hodkinson JP, Jahn TR, Radford SE, Ashcroft AE.
HDX-ESI-MS Reveals Enhanced Conformational
Dynamics of the Amyloidogenic Protein [beta]2-
Microglobulin upon Release from the MHC-1.
JASMS 2009 20(2): 278-86
DOI: [10.1016/j.jasms.2008.10.005](https://doi.org/10.1016/j.jasms.2008.10.005)

Hopper JTS, Oldham NJ.
Collision Induced Unfolding of Protein Ions in the
Gas Phase Studied by Ion Mobility-Mass
Spectrometry: The Effect of Ligand Binding on
Conformational Stability
JASMS 2009 20(10): 1851-8
DOI: [10.1016/j.jasms.2009.06.010](https://doi.org/10.1016/j.jasms.2009.06.010)

Hyung S-J, Robinson CV, Ruotolo BT.
Gas-Phase Unfolding and Disassembly Reveals
Stability Differences in Ligand-Bound Multiprotein
Complexes
Chemistry & Biology 2009 16(4): 382-90
DOI: [10.1016/j.chembiol.2009.02.008](https://doi.org/10.1016/j.chembiol.2009.02.008)

Kim B-T, Kim H-S, Moon WS, Hwang K-J.
The construction of novel perylenequinone core via
efficient synthesis of versatile ortho-
naphthoquinone as a key intermediate
Tetrahedron 2009 65(23): 4625-8
DOI: [10.1016/j.tet.2009.03.057](https://doi.org/10.1016/j.tet.2009.03.057)

Knapman TW, Berryman JT, Campuzano I, Harris
SA, Ashcroft AE.
Considerations in experimental and theoretical
collision cross-section measurements of small
molecules using travelling wave ion mobility
spectrometry-mass spectrometry.
International Journal of Mass Spectrometry 2009.
In press.
DOI: [10.1016/j.ijms.2009.09.011](https://doi.org/10.1016/j.ijms.2009.09.011)

Lane LA, Ruotolo BT, Robinson CV, Favrin G,
Benesch JLP.
A Monte Carlo approach for assessing the
specificity of protein oligomers observed in nano-
electrospray mass spectra
International Journal of Mass Spectrometry 2009
283(1-3): 169-77
DOI: [10.1016/j.ijms.2009.03.006](https://doi.org/10.1016/j.ijms.2009.03.006)

Leary JA, Schenauer MR, Stefanescu R, Andaya A,
Ruotolo BT, Robinson CV, Thalassinos K, Scrivens
JH, Sokabe M, Hershey JWB.
Methodology for Measuring Conformation of
Solvent-Disrupted Protein Subunits using T-WAVE
Ion Mobility MS: An Investigation into Eukaryotic
Initiation Factors.
JASMS 2009 20(9): 1699-1706.
DOI: [10.1016/j.jasms.2009.05.003](https://doi.org/10.1016/j.jasms.2009.05.003)

Lomeli SH, Yin S, Loo RRO, Loo JA.
Increasing Charge While Preserving
Noncovalent Protein Complexes for ESI-MS.
JASMS 2009 20(4): 593-6.
DOI: [10.1016/j.jasms.2008.11.013](https://doi.org/10.1016/j.jasms.2008.11.013)

Lu X, DeFelippis MR, Huang L.
Linear epitope mapping by native mass
spectrometry.
Analytical Biochemistry 2009 395(1): 100-107.
DOI: [10.1016/j.ab.2009.08.018](https://doi.org/10.1016/j.ab.2009.08.018)

Matas Güell B, Babich I, Nichols KP, Gardeniers
JGE, Lefferts L., Seshan K.
Design of a stable steam reforming catalyst--A
promising route to sustainable hydrogen from
biomass oxygenates.
Applied Catalysis B: Environmental 2009 90(1-
2): 38-44.
DOI: [10.1016/j.apcatb.2009.02.008](https://doi.org/10.1016/j.apcatb.2009.02.008)

Motshwene PG, Moncrieffe MC, Grossmann JG,
Kao C, Ayaluru M, Sandercock AM, Robinson
CV, Latz E, Gay NJ.
An Oligomeric Signaling Platform Formed by
the Toll-like Receptor Signal Transducers
MyD88 and IRAK-4.
Journal of Biological Chemistry 2009
284: 25404-11.
DOI: [10.1074/jbc.M109.022392](https://doi.org/10.1074/jbc.M109.022392)

Rapp J, Xu S, Sharp AM, Griffith WP, Kim Y-W,
Funk Jr MO.
Archives of Biochemistry and Biophysics 2009
490(1): 50-56.
EPR spectroscopy and electrospray ionization
mass spectrometry reveal distinctive features
of the iron site in leukocyte 12-lipoxygenase.
DOI: [10.1016/j.abb.2009.08.004](https://doi.org/10.1016/j.abb.2009.08.004)

Sainsbury S, Lane LA, Ren J, Gilbert RJ,
Saunders NJ, Robinson CV, Stuart DI, Owens
RJ.
The structure of CrgA from Neisseria
meningitidis reveals a new octameric assembly
state for LysR transcriptional regulators.
Nucleic Acids Research 2009 37(14): 4545-
4558.
DOI: [10.1093/nar/gkp445](https://doi.org/10.1093/nar/gkp445)

Scarff CA, Patel VJ, Thalassinos K, Scrivens JH.
Probing Hemoglobin Structure by Means of
Traveling-Wave Ion Mobility Mass
Spectrometry.
JASMS 2009 20(4): 625-31.
DOI: [10.1016/j.jasms.2008.11.023](https://doi.org/10.1016/j.jasms.2008.11.023)

Schenauer MR, Leary JA.
An ion mobility-mass spectrometry investigation of monocyte chemoattractant protein-1.
International Journal of Mass Spectrometry 2009 287(1-3): 70-76.
DOI: [10.1016/j.ijms.2009.02.023](https://doi.org/10.1016/j.ijms.2009.02.023)

Sugawara T, Igarashi K.
Identification of Major Flavonoids in Petals of Edible Chrysanthemum Flowers and Their Suppressive Effect on Carbon Tetrachloride-Induced Liver Injury in Mice.
Food Science and Technology Research 2009 15(5): 499-506.
DOI: [10.3136/fstr.15.499](https://doi.org/10.3136/fstr.15.499)

Taylor DR, Parkin ET, Cocklin SL, Ault JR, Ashcroft AE, Turner AJ, Hooper NM.
Role of ADAMs in the Ectodomain Shedding and Conformational Conversion of the Prion Protein.
Journal of Biological Chemistry 2009 284:22590-22600.
DOI: [10.1074/jbc.M109.032599](https://doi.org/10.1074/jbc.M109.032599)

Williams JP, Bugarcic T, Habtemariam A, Giles K, Campuzano I, Rodger PM, Sadler PJ.
Isomer Separation and Gas-Phase Configurations of Organoruthenium Anticancer Complexes: Ion Mobility Mass Spectrometry and Modeling.
JASMS 2009 20(6): 1119-1122
DOI: [10.1016/j.jasms.2009.02.016](https://doi.org/10.1016/j.jasms.2009.02.016)

Williams JP, Grabenauer M, Holland RJ, Carpenter CJ, Wormald MR, Giles K, Harvey DJ, Bateman RH, Scrivens JH, Bowers MT.
Characterization of simple isomeric oligosaccharides and the rapid separation of glycan mixtures by ion mobility mass spectrometry.
International Journal of Mass Spectrometry 2009 In Press.
DOI: [10.1016/j.ijms.2009.08.006](https://doi.org/10.1016/j.ijms.2009.08.006)

Yamagaki T., Sato A.
Isomeric Oligosaccharides Analyses Using Negative-ion Electrospray Ionization Ion Mobility Spectrometry Combined with Collision-induced Dissociation MS/MS.
Analytical Sciences 2009 25(8): 985.
DOI: [10.2116/analsci.25.985](https://doi.org/10.2116/analsci.25.985)

Duijn EV, Barendregt A, Synowsky S, Versluis C, Heck AJ.
Chaperonin complexes monitored by ion mobility mass spectrometry.
J Am Chem Soc. 2009 Jan 12.
DOI: [10.1021/ja8055134](https://doi.org/10.1021/ja8055134)

Thalassinos K, Grabenauer M, Slade SE, Hilton GR, Bowers MT, Scrivens JH.
Characterization of phosphorylated peptides using traveling wave-based and drift cell ion mobility mass spectrometry.
Anal Chem. 2009 Jan 1; 81(1):248-54
DOI: [10.1021/ac801916h](https://doi.org/10.1021/ac801916h)

Benesch JL
Collisional activation of protein complexes: picking up the pieces
J Am Soc Mass Spectrom. 2009 Mar; 20(3): 341-8.
DOI: [10.1016/j.jasms.2008.11.014](https://doi.org/10.1016/j.jasms.2008.11.014)

2008

Trim PJ, Henson CM, Avery JL, McEwen A, Snel MF, Claude E, Marshall PS, West A, Princivalle AP, Clench MR.
Matrix-assisted laser desorption/ionization-ion mobility separation-mass spectrometry imaging of vinblastine in whole body tissue sections.
Anal Chem. 2008 Oct 11.
DOI: [10.1021/ac8015467](https://doi.org/10.1021/ac8015467)

Iacob RE, Murphy JP 3rd, Engen JR.
Ion mobility adds an additional dimension to mass spectrometric analysis of solution-phase hydrogen/deuterium exchange.
Rapid Commun Mass Spectrom. 2008 Sep; 22(18): 2898-904.
DOI: [10.1002/rcm.3688](https://doi.org/10.1002/rcm.3688)

Riba-Garcia I, Giles K, Bateman R, Gaskell S.
Evidence for structural variants of a- and b-type peptide fragment ions using combined ion mobility/mass spectrometry.
JASMS. 2008 Apr; 19(4):609-13.
DOI: [10.1016/j.jasms.2008.01.005](https://doi.org/10.1016/j.jasms.2008.01.005)

Bagal D, Zhang H, Schnier P.
Gas-phase proton-transfer chemistry coupled with TOF mass spectrometry and ion mobility-MS for the facile analysis of poly(ethylene glycols) and PEGylated polypeptide conjugates.
Anal. Chem. 2008 Mar; 80 (7), 2408 -2418.
DOI: [10.1021/ac7020163](https://doi.org/10.1021/ac7020163)

Alverdi V, Mazon H, Versluis C, Hemrika W, Esposito G, van den Heuvel R, Scholten A, Heck A.

cGMP-binding prepares PKG for substrate binding by disclosing the C-terminal domain. *Journal Mol Bio.* 2008 Feb; 375(5):1380-93. DOI: [10.1016/j.jmb.2007.11.053](https://doi.org/10.1016/j.jmb.2007.11.053)

Vakhrushev S, Langridge J, Campuzano I, Hughes C, Peter-Katalini J.

Ion mobility mass spectrometry analysis of human glycourinome. *Anal. Chem.* 2008 Feb; 80 (7), 2506 -2513. DOI: [10.1021/ac7023443](https://doi.org/10.1021/ac7023443)

Kanu AB, Dwivedi P, Tam M, Matz L, Hill Jr. H.

Ion mobility-mass spectrometry. *Journal of Mass Spectrometry.* 2008 Jan; 43: 1-22 DOI: [10.1002/jms.1383](https://doi.org/10.1002/jms.1383)

Lorenzen K, Olia AS, Uetrecht C, Cingolani G, Heck AJ.

Determination of stoichiometry and conformational changes in the first step of the P22 tail assembly. *J Mol Biol.* 2008 May 30; 379(2): 385-96. Epub 2008 Feb 15. DOI: [10.1016/j.jmb.2008.02.017](https://doi.org/10.1016/j.jmb.2008.02.017)

Ruotolo BT, Benesch JL, Sandercock AM, Hyung SJ, Robinson CV.

Ion mobility-mass spectrometry analysis of large protein complexes. *Nat Protoc.* 2008; 3(7): 1139-52. Epub 2008 Jun 19. DOI: [10.1038/nprot.2008.78](https://doi.org/10.1038/nprot.2008.78)

Scarff CA, Patel VJ, Thalassinos K, Scrivens JH.

Probing hemoglobin structure by means of traveling-wave ion mobility mass spectrometry. *J Am Soc Mass Spectrom.* 2008 Dec 6. DOI: [10.1016/j.jasms.2008.11.023](https://doi.org/10.1016/j.jasms.2008.11.023)

Smith DP, Knapman TW, Campuzano I, Malham RW, Berryman JT, Radford SE, Ashcroft AE.

Deciphering drift time measurements from travelling wave ion mobility spectrometry-mass spectrometry studies. *Eur. J. Mass Spectrom.* 15(), 0-0 (2009) DOI: [10.1255/ejms.947](https://doi.org/10.1255/ejms.947)

Uetrecht C, Versluis C, Watts NR, Roos WH, Wuite GJ, Wingfield PT, Steven AC, Heck AJ. High-resolution mass spectrometry of viral assemblies: molecular composition and stability of dimorphic hepatitis B virus capsids. *Proc Natl Acad Sci U S A.* 2008 Jul 8; 105(27):9216-20. DOI: [10.1073/pnas.0800406105](https://doi.org/10.1073/pnas.0800406105).

Uetrecht C, Versluis C, Watts NR, Wingfield PT, Steven AC, Heck AJ.

Stability and shape of Hepatitis B virus capsids in vacuo. *Angew Chem Int Ed Engl.* 2008; 47(33):6247-51. DOI: [10.1002/anie.200802410](https://doi.org/10.1002/anie.200802410)

Williams JP, Scrivens JH.

Coupling desorption electrospray ionisation and neutral desorption/extractive electrospray ionisation with a travelling-wave based ion mobility mass spectrometer for the analysis of drugs. *Rapid Commun Mass Spectrom.* 2008 Jan; 22(2):187-196 DOI: [10.1002/rcm.3346](https://doi.org/10.1002/rcm.3346)

2007

Pringle SD, Giles K, Wildgoose JL, Williams JP, Slade SE, Thalassinos K, Bateman RH, Bowers MT, Scrivens JH.

An investigation of the mobility separation of some peptide and protein ions using a new hybrid quadrupole/traveling wave IMS/oa-ToF instrument. *International Journal of Mass Spectrometry.* 2007 Mar 1; 261(1):1-12. DOI: [10.1016/j.ijms.2006.07.021](https://doi.org/10.1016/j.ijms.2006.07.021)

Eckers C, Laures AM, Giles K, Major H, Pringle S.

Evaluating the utility of ion mobility separation in combination with high-pressure liquid chromatography/mass spectrometry to facilitate detection of trace impurities in formulated drug products. *Rapid Commun Mass Spectrom.* 2007; 21(7):1255-63. DOI: [10.1002/rcm.2938](https://doi.org/10.1002/rcm.2938)

Sharon M, Robinson CV.

The Role of Mass Spectrometry in Structure Elucidation of Dynamic Protein Complexes.

Annu Rev Biochem. 2007 Jul; 76: 167-193.

DOI: [1146/annurev.biochem.76.061005.090816](https://doi.org/10.1146/annurev.biochem.76.061005.090816)

Ruotolo B, Hyung S, Robinson P, Giles K, Bateman R, Robinson C.

Ion mobility-mass spectrometry reveals long-lived, unfolded intermediates in the dissociation of protein complexes.

Angewandte Chemie International Edition 2007 Sep; 46 (42): 8001-4.

DOI: [10.1002/anie.200702161](https://doi.org/10.1002/anie.200702161)

Olivova P, Chen W, Chakraborty A, Gebler J.

Determination of N-glycosylation sites and site heterogeneity in a monoclonal antibody by electrospray quadrupole ion-mobility time-of-flight mass spectrometry.

Rapid Commun Mass Spectrom. 2007

Nov; 22(1): 29-40.

DOI: [10.1002/rcm.3330](https://doi.org/10.1002/rcm.3330)

Smith D, Giles K, Bateman R, Radford SE, Ashcroft AE.

Monitoring copopulated conformational states during protein folding Events using electrospray ionization-ion mobility spectrometry-mass spectrometry.

JASMS. 2007 Dec; 18(12): 2180-90.

DOI: [10.1016/j.jasms.2007.09.017](https://doi.org/10.1016/j.jasms.2007.09.017)

Benesch JLP, Ruotolo BT, Simmons DA, Robinson CV.

Protein complexes in the gas phase: technology for structural genomics and proteomics.

Chem Rev. 2007; 107(8): 3544-67.

DOI: [10.1021/cr068289b](https://doi.org/10.1021/cr068289b)

2005

Ruotolo BT, Giles K, Campuzano I, Sandercock AM, Bateman RH, robinson CV.

Evidence for macromolecular protein rings in the absence of bulk water.

Science. 2005 Dec 9; 310(5754): 1658-61.

Epub 2005 Nov 17.

DOI: [10.1126/science.1120177](https://doi.org/10.1126/science.1120177)

2004

Giles K, Pringle S, Worthington KR, Little D, Wildgoose JL, Bateman RH.

Applications of a travelling wave-based radio-frequency-only stacked ring ion guide.

Rapid Commun Mass Spectrom. 2004

Sep; 18(20): 2401-14.

DOI: [10.1002/rcm.1641](https://doi.org/10.1002/rcm.1641)

Thalassinos K, Slade SE, Jennings KR, Scrivens KG, Wildgoose J, Hoyes J, Bateman RH, Bowers MT.

Ion mobility mass spectrometry of proteins in a modified commercial mass spectrometer.

Int J Mass Spectrom. 236 (1), p.55-63, Aug 2004

DOI: [10.1016/j.ijms.2004.05.008](https://doi.org/10.1016/j.ijms.2004.05.008)